This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
 - TEXT CUT OFF AT TOP, BOTTOM OR SIDES
 - FADED TEXT
 - ILLEGIBLE TEXT
 - SKEWED/SLANTED IMAGES
 - COLORED PHOTOS
 - BLACK OR VERY BLACK AND WHITE DARK PHOTOS
 - GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

REMARKS

Kindly enter this Preliminary Amendment before first action on the merits. By this Preliminary Amendment, Applicants have amended the specification to correct minor typographical errors. These amendments introduce no new matter.

Respectfully submitted,

Anthony J. GOUNALIS

Randy J. Pritzker, Reg. 35,986.

Wolf, Greenfield & Sacks, P.C.


600 Atlantic Avenue


Boston, Massachusetts 02210-2211

Telephone: (617) 720-3500

Docket No. L0562.70037US00

Date: February 24, 2004





EMITTER DATABASE	N-EMITTER-	ENTRY (·
	EMITTER GRAMETERS 402	EMITTER HOSEL 405 LEDELL SOLUTION (3) #00 CONSTRAINTS #01 RULES #086		•					
	7	Λ,	EMITTER ENTRY	pate				7	

Tiquee 4




FIGURE 5









Figure 6











7				
Carlotte Late Control	~	5	~«	4
RF Pox (MHz)	300	350	1910	1860
MIL)	000)	oeel	1510	1730
SCHWANNS 30 MH. ZP IS CHANNS	Es ans	7780 rs	330 m	390 AS
1350 mm 15 30 Mm 26 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	(00 ms	Do rs	3	Bons
Emite (Ш	<u>ਜ</u>	<u>a</u>	77

4000

DDMAX = 5 RV TNEW = 100 Cost = 5/10 = . 05 ush ofthe 1880 D 48 11

Figure MA








Figure 14B






Name	RF Min	RF Max
E1	1100	1200
E2	1150	1250







Emitter	Dwell Duration (ms)	Revisit Time (ms)
Emitter 1	1	500
Emitter 2	2	1200


Emitter	Dwell Duration (ms)	Revisit Time (ms)	Cost
Emitter 1	1	500	.002
Emitter 2	5	1000	.005





Time (ms)






















Figure 27








Figure 30




Figure 31

